SHELF

CASE

• 3/4" thick TFL, side panels, back panel and doors

SHELF

- Metal shelves
- 34"H Single sided -- 2 shelves (1 adjustable, 1 bottom)
- 34"H Double sided -- 4 shelves (1 adjustable/side, 1 bottom/side)
- 60"H -- 4 shelves (2 adjustable, 1 fixed, 1 bottom)
- 72"H -- 5 shelves (3 adjustable, 1 fixed, 1 bottom)
- 100 lb. shelf capacity

FRAME

- · Fully welded metal perimeter frame
- Metal bottom panel

DOORS

- Keyed-alike cylinder locks
- 128mm Arch pull or 128mm Urban or Metro pull
- 5 knuckle hinges

T_OP

- 1" thick
- HPL (under 60" high) TFL (60" and 72" high units)
- · 3mm edgeband

MOBILITY

• 5" post casters - 2 locking and 2 non-locking

SHIPPING

- Units ship assembled with casters attached
- · Pulls attached to door or drawer fronts (if applicable)

	Outside	Inside
Width	48"	45.5"
Depth Single Sided	22"	19.75"
Depth Double Sided	22"	9"
	34.25"	25.25"
Height	60"	51.25"
	72"	63.25"





POSTERBOARD DRAWER



CASE

• 3/4" thick TFL, side panels, back panel and drawers

FRAME

- Fully welded metal perimeter frame
- Metal bottom panel

DRAWERS

- 5 nonlocking drawersMetal drawer body
- 128mm Arch pull or 128mm Metro or Urban pull
- Full extension drawer slides

T_OP

- 1" thick
- HPL
- 3mm edgeband

MOBILITY

• 5" post casters - 2 locking and 2 non-locking

SHIPPING

- Units ship assembled with casters attached
- · Pulls attached drawer fronts

DIMENSIONS

	Cabinet	Drawer Body Size
Width	48"	44.25"
Depth	28"	24"
Height	36.75"	3"



TRAY



CASE

• 3/4" thick TFL, side panels, back panel and drawers

FRAME

- Fully welded metal perimeter frame
- Metal bottom panel

TOP

- 1" thick
- HPL
- 3mm edgeband

TRAYS

- Gratnells trays & rails translucent
- Holds up to 30 trays

MOBILITY

• 5" post casters - 2 locking and 2 non-locking

SHIPPING

 Units ship assembled with casters attached



GRATNELLS TRAY

No of trays per carton	W	D	Н	BASE MODEL NO.	LIST
8	12.5"	17"	3"	700308	\$192
6	12.5"	17"	6"	700606	\$196
6	12.5"	17"	12"	701206	\$316

LID FOR GRATNELLS TRAY

No of lids per carton	W	D	Н	BASE MODEL NO.	LIST
8	11.5"	16"	3"	70GL08	\$162

GRATNELLS TRAY DIMENSIONS & WEIGHT CAPACITIES

		Inside		
	Outside	3" High	6" High	12" High
Width	12-1/2"	11-3/8"	11-3/8"	11-3/8"
Depth	16-7/8"	15"	15"	15"
	3"	2-7/8"	-	-
Height	6"	-	5-7/8"	-
3	12"	-	-	11-7/8"
Weight capacity per tray (pounds)		12	12	12

WARDROBE



CASE

- 3/4" thick TFL side panels, back panel, top, and doors
- · Metal fixed shelves
- · Adjustable shelves
- Metal bottom
- 100 lb. shelf capacity

FRAME

- Fully welded metal frame
- Metal bottom

DRAWERS

• 128mm Arch pull or 128mm Metro or Urban pull

TOP

- 1" thick
- TFL
- · 3mm edgeband

MOBILITY

• 5" post casters - 2 locking and 2 non-locking

ADDITIONAL FEATURES

- Garment rod with fixed shelf above, holds up to 10 garments
- 5 cabinet shelves (3 adjustable, 1 fixed, 1 bottom)

SHIPPING

- Units ship assembled with casters attached
- · Pulls attached

DIMENSIONS

		Inside	
	Outside	Coat	Coat
Width	48"	14"	30.02"
Depth	22"	19.75"	17.5"
Height	72"	63.25"	63.25"





DEMONSTRATOR WORKSTATION (SCIENCE)

WORKSURFACE

- 1" thick worksurface
- HPL G3 (default)
- HPL G5
- · Chem Resistant HPL
- Phenolic Resin
- · Maple Block. Adds .75" to height.

CASE

• 3/4" thick side panels, back panel, partitions, drawer fronts, and doors

DOORS & DRAWERS

- Individual cylinder locks
- · 3 drawers with metal drawer bodies
- · 1 fixed shelf behind door
- 128mm Arch pull or 128mm Metro or Urban pull
- 5 knuckle hinges
- Full extension drawer slides

SHELF

- Metal shelves
- 100 lb. capacity
- · Fixed and metal bottom

FRAME

- · Fully welded steel frame
- Metal bottom panel

MOBILITY

• 5" post casters - 2 locking and 2 non-locking

ADDITIONAL FEATURES



A Positionable mirror

SHIPPING

- · Units ship assembled with casters attached
- · Mirror assembly ships separately. Field installed.
- · Pulls attached to door or drawer fronts

DIMENSIONS

		Outside		Inside		
		Cabinet Work Outside Surface		Storage	Drawer	
	Width	48"	60"	31"	12"	
	Depth	23"	24"	22"	16.25"	
	Hoimbt	37"	1"	28"	9.5"	
	Height	37.75"	1.75"	28"	9.5"	



WORKSTATION



WORKSURFACE

- 1" thick worksurface
- HPL G3 (default)
- HPL G5
- · Chem Resistant HPL
- Phenolic Resin
- Maple Block. Adds .75" to height.

CASE

- 3/4" thick side panels, back panel, and doors
- Cabinet outside: 48" W, 33.25" H, 22" D
- Cabinet inside: 46" W, 28" H, 20" D

SHELF

- Metal shelf
 Single sided -- 2 shelves
 (1 adjustable, 1 bottom)
- Double sided -- 4 shelves (1 adjustable/ side, 1 bottom/side)
- 100 lb. capacity
- Adjustable and metal bottom

DOORS

- Keyed-alike cylinder lock
- 128mm Arch pull or 128mm Metro or Urban pull
- 5 knuckle hinges

FRAME

- · Fully welded metal frame
- Metal bottom panel

MOBILITY

• 5" post casters - 2 locking and 2 non-locking

SHIPPING

- Units ship assembled with casters attached
- · Pulls attached to door fronts





PROJECT CART



WORKSURFACE

- 1" thick worksurface
- HPL G3 (default)
- HPL G5
- Chem Resistant HPL
- Phenolic Resin
- Maple Block. Adds .75" to height

CASE

 3/4" thick TFL side panels, back panel, partition, fixed shelf, drawer fronts, and doors

SHELF

- Fixed TFL shelf
- · Metal adjustable shelves

DOORS

- Keyed-alike cylinder lock
- 128mm Arch pull or 128mm Metro or Urban pull
- 5 knuckle hinges

FRAME

- Fully welded steel frame metal perimeter frame
- Metal bottom panel

MOBILITY

• 5" post casters - 2 locking and 2 non-locking

ADDITIONAL FEATURES

- Gratnells trays & rails
- Burele power unit

SHIPPING

- Units ship assembled with casters attached
- · Pulls attached to door fronts



